

FICHA TÉCNICA

ACCESORIOS DE POLIETILENO PARA CONDUCCIÓN DE AGUA A PRESIÓN

MATERIAL DE BASE: Polietileno.


NORMA DE APLICACIÓN: UNE EN 12201.

COLOR: NEGRO.

CARACTERÍSTICAS DIMENSIONALES: según norma UNE EN 12201-2.


ACCESORIOS DE PRESIÓN POLIETILENO. DIMENSIONES (mm).

ENLACE RECTO




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	AENOR
312013	20	106,0	51,4	3,1	51,4	41,0	20,8	☒
312014	25	120,5	58,0	4,5	58,0	47,8	25,6	☒
312015	32	142,4	69,8	2,8	69,8	58,0	33,0	☒
312016	40	170,5	84,2	2,0	84,2	69,5	41,4	☒
312017	50	190,4	93,2	4,0	93,2	88	51,4	
312018	63	220,3	108,1	4,0	108,1	110	64,3	
312040	75	265,5	131,2	3,0	131,2	131,0	79,3	
312068	90	292,2	143,6	5,0	143,6	146,5	91,5	
312087	110	318,0	156,0	6,0	155,0	178,0	117,0	☒

ENLACE MIXTO ROSCA MACHO



Código	Ø (mm)	r	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	AENOR
312001	20	1/2"	68,5	41,0	52,0	10,6	20,8	✗
312002	25	3/4"	84,4	47,8	63,0	15,2	25,6	✗
312003	32	1"	95,5	58,0	68,5	14,8	33,0	✗
312004	40	1 1/4"	119,5	69,5	87,0	20,0	41,4	✗
312005	50	1 1/2"	142,0	88,0	110,7	24,6	51,4	✗
312006	63	2"	164,0	110,0	124,0	31,5	64,3	✗
312039	75	2 1/2"	186,0	121,0	133,0	30,0	79,3	
312066	90	3"	146,5	164,0	33,4	91,5	91,5	
312115	110	4"	233,0	178,0	180,0	39,3	117,0	

ENLACE MIXTO ROSCA HEMBRA




Código	Ø (mm)	r	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	AENOR
312007	20	1/2"	63,0	41,0	48,0	12,3	20,8	✗
312008	25	3/4"	76,6	47,8	56,8	15,7	25,6	✗
312009	32	1"	89,0	58,0	68,5	16,6	33,0	✗
312010	40	1 1/4"	105,3	69,5	79,5	21,5	41,4	✗
312011	50	1 1/2"	122,0	88,0	92,0	26,2	51,4	✗
312012	63	2"	142,5	110,0	107,0	30,0	64,3	✗
312038	75	2 1/2"	169,5	121,0	133,0	30,0	79,3	
312069	90	3"	185,0	146,5	145,0	32,5	91,5	
312114	110	4"	206,5	178,0	160,2	39,3	116,6	

ENLACE REDUCIDO




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	AENOR
312050	25-20	47,7	110,0	25,6	20,8	41,0	61,0	✗
312051	32-25	58,4	128,5	33,0	25,6	47,8	68,5	✗
312052	40-32	69,2	155,2	41,4	33,0	58,0	79,5	✗
312053	50-40	88,0	187,6	51,4	41,4	69,5	92,0	✗
312054	63-50	110,0	211,0	64,3	51,4	83,8	107,0	✗
312080	75-63	121,0	249,0	79,3	64,3	103,8	133,0	✗
312070	90-75	146,0	290,0	91,5	79,3	121,0	145,0	
312116	110-90	178,0	312,0	117,0	91,5	146,5	168,0	

ENLACE MIXTO BRIDA




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)	I (mm)	AENOR
312093	50	117,0	88,0	5,5	16,1	51,4	95,4	39,5	110	18	✗
312094	63	130,0	110,0	7,0	18,2	64,3	64,3	52,3	125	18	✗
312095	75	159,5	121,0	7,5	19,2	79,3	79,3	69,2	145	18	
312096	90	180,0	146,5	9,2	20,5	91,5	91,5	79,0	160	18	
312107	110	190,0	178,0	2,0	22,0	116,6	167,0	100,0	180	18	

CODO IGUAL 90°




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	AENOR
312025	20	85,6	41,0	20,8	48,0	✗
312026	25	100,5	47,8	25,6	52,0	✗
312027	32	126,7	58,0	33,0	72,5	✗
312028	40	147,0	69,5	41,4	81,0	✗
312029	50	210,3	110,0	64,3	110,0	✗
312030	63					✗
312037	75	244,0	121,0	79,3	134,0	
312078	90	286,5	146,5	91,5	143,5	
312106	110	305,0	178,0	116,6	155,0	

CODO ROSCA MACHO 90°




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	AENOR
312073	20	81,0	62,0	20,8	41,0	10,8	✗
312074	25	95,3	77,0	26,5	47,8	15,0	✗
312075	32	118,3	96,00	33,0	58,0	16,0	✗
312076	40	136,0	115,0	41,4	69,5	20,0	✗
312060	50	163,5	133,0	51,4	88,0	26,3	✗
312077	63	196,0	158,0	64,3	110,0	31,5	✗
312081	75	225,0	180,0	79,3	121,0	31,0	
312126	90	250,0	200,0	91,5	146,5	33,5	
312138	110						

CODO ROSCA HEMBRA 90°




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	AENOR
312072	20	81,0	51,0	10,8	41,0	12,6	✗
312061	25	96,0	63,0	25,6	47,8	16,3	✗
312062	32	107,0	70,5	33,0	58,0	16,0	✗
312063	40	138,0	90,5	41,4	63,5	22,0	✗
312064	50	167,0	113,5	51,4	88,0	27,0	✗
312065	63	192,5	143,5	64,3	110,0	32,6	✗
312088	75	230,0	130,0	79,3	121,0	32,0	
312139	90	260,0	175,0	91,5	146,5	35,0	
312140	110	300,0	230,0	117,0	178,0	44,0	

CODO GRIFO




Código	Ø (mm)	r	A (mm)	B (mm)	C (mm)	D (mm)	AENOR
312089	20	1/2"	92,0	41,0	20,8	53,4	✗
312090	25	3/4"	104,3	47,8	25,6	58,6	✗
312091	32	1"	127,0	58,0	33,0	72,0	✗
312092	40	1 1/4"	160,0	69,5	41,4	86,4	✗

TAPÓN FINAL TUBO




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	AENOR
312031	20	61,5	41,0	20,8	56,0	❌
312032	25	75,0	47,8	25,6	69,0	❌
312033	32	86,7	58,0	33,0	79,5	❌
312034	40	101,6	69,5	41,4	92,5	❌
312049	50	118,0	88,0	51,4	107,7	❌
312035	63	134,4	110,0	64,3	124,6	❌
312036	75	166,0	121,0	79,3	150,4	
312079	90	183,0	146,5	91,5	169,0	
312117	110	203,0	178,0	117,0	190,0	

TE IGUAL




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	AENOR
312043	20	127,0	63,5	41,0	20,8	53,0	❌
312044	25	148,0	74,0	47,8	25,6	61,0	❌
312045	32	173,3	86,6	58,0	35,0	71,0	❌
312046	40	207,2	103,6	69,5	41,4	85,0	❌
312047	50	246,0	123,0	88,0	51,4	99,0	❌
312048	63	89,0	144,5	110,0	64,3	117,5	❌
312042	75	350,0	175,0	121,0	79,3	137,0	
312067	90	397,0	198,5	146,5	91,5	150,0	
312113	110	432,0	216,0	178,0	116,6	155,0	

TE ROSCA HEMBRA




Código	Ø (mm)	r	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	AENOR
312019	20	1/2"	120,8	41,0	20,8	12,0	48,0	❌
312020	25	3/4"	135,5	47,8	25,6	15,0	55,0	❌
312021	32	1"	161,4	58,0	33,0	16,0	64,3	❌
312022	40	1 1/4"	192,9	69,5	41,4	21,7	76,1	❌
312023	50	1 1/2"	225,4	88,0	51,4	27,0	90,0	❌
312024	63	2"	261,0	110,0	64,3	32,3	105,0	❌
312041	75	2 1/2"	325,5	121,0	79,3	36,1	129,7	
312071	90	3"	362,8	146,5	91,5	35,0	140,5	
312112	110	4"	432,0	178,0	116,0	41,5	155,0	

TE 1 BOCA REDUCIDA




Código	Ø (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	AENOR
312055	25-20-25	148,0	70,0	47,8	25,5	41,0	20,8	✗
312056	32-25-32	173,3	82,4	58,0	33,0	47,8	25,6	✗
312057	40-32-40	207,2	96,0	69,5	41,4	58,0	33,0	✗
312058	50-40-50	246,0	112,7	88,0	51,4	69,5	41,4	✗
312059	63-50-63	289,0	142,7	110,0	64,3	83,8	51,4	✗
312110	75-63-75	350,0	160,0	121,0	79,3	103,8	64,3	
312111	90-75-90	397,0	193,0	146,5	91,5	121,0	79,3	

REDUCCIÓN MACHO-HEMBRA



Código	Ø (mm)	A (mm)	B (mm)	H (mm)	M (mm)
312082	3/4" - 1/2"	30,5	27,7	1/2"	3/4"
312097	1" - 1/2"	37,6	34,2	1/2"	1"
312083	1" - 3/4"	37,6	34,0	3/4"	1"
312098	1 1/4" - 1/2"	46,2	38,8	1/2"	1 1/4"
312099	1 1/4" - 3/4"	46,0	39,3	3/4"	1 1/4"
312084	1 1/4" - 1"	46,0	39,1	1"	1 1/4"
312100	1 1/2" - 3/4"	56,1	47,0	3/4"	1 1/2"
312101	1 1/2" - 1"	56,5	47,8	1"	1 1/2"
312085	1 1/2" - 1 1/4"	55,3	46,0	1 1/4"	1 1/2"
312102	2" - 1"	71,0	61,0	1"	2"
312103	2" - 1 1/4"	71,0	60,7	1 1/4"	2"
312086	2" - 1 1/2"	70,8	60,5	1 1/2"	2"
312104	2 1/2" - 2"	85,0	69,0	2"	2 1/2"
312105	3" - 2 1/2"	104,0	72,0	2 1/2"	3"

COLLARÍN DE TOMA PP



Código	Ø (mm)	r	A (mm)	B (mm)
310054	32-1/2"	1/2"	62,0	52,0
310000	32-3/4"	3/4"	62,0	52,0
310020	32-1"	1"	65,0	52,0
310055	40-1/2"	1/2"	70,0	52,0
310001	40-3/4"	3/4"	70,0	52,0
310002	40-1"	1"	73,0	52,0
310056	50-1/2"	1/2"	82,0	60,0
310003	50-3/4"	3/4"	82,0	60,0
310004	50-1"	1"	85,0	60,0
310057	63-1/2"	1/2"	94,0	80,0
310005	63-3/4"	3/4"	96,0	80,0
310006	63-1"	1"	100,0	80,0
310021	63-1 1/4"	1 1/4"	100,0	80,0
310022	63-1 1/2"	1 1/2"	100,0	80,0
310058	75-1/2"	1/2"	115,0	93,0
310007	75-3/4"	3/4"	117,0	93,0
310008	75-1"	1"	120,0	93,0
310023	75-1 1/4"	1 1/4"	121,0	93,0
310024	75-1 1/2"	1 1/2"	121,0	93,0
310025	75-2"	2"	123,0	93,0
310026	90-1/2"	1/2"	134,0	100,0
310009	90-3/4"	3/4"	134,0	100,0
310010	90-1"	1"	135,0	100,0
310011	90-1 1/4"	1 1/4"	135,0	100,0
310012	90-1 1/2"	1 1/2"	136,0	100,0
310013	90-2"	2"	138,0	100,0
310027	110-1/2"	1/2"	156,0	114,0
310014	110-3/4"	3/4"	156,0	114,0
310015	110-1"	1"	156,0	114,0
310016	110-1 1/4"	1 1/4"	159,0	114,0
310017	110-1 1/2"	1 1/2"	159,0	114,0
310018	110-2"	2"	160,0	114,0
310028	125-3/4"	3/4"	165,0	108,0
310029	125-1"	1"	162,0	108,0
310030	125-1 1/4"	1 1/4"	166,0	108,0
310031	125-1 1/2"	1 1/2"	166,0	108,0
310032	125-2"	2"	166,0	108,0
310033	140-1"	1"	173,0	130,0
310034	140-1 1/4"	1 1/4"	178,0	130,0
310035	140-1 1/2"	1 1/2"	178,0	130,0
310036	140-2"	2"	181,0	130,0
310037	160-1"	1"	197,0	143,0
310038	160-1 1/4"	1 1/4"	197,0	143,0
310039	160-1 1/2"	1 1/2"	143,0	197,0
310040	160-2"	2"	201,0	143,0