



ZODZ.E476240 Positioning Devices

[Page Bottom](#)

Positioning Devices

[See General Information for Positioning Devices](#)

DESARROLLOS ESPECIALES DE SISTEMAS DE ANCLAJE S.A. (GRUPO DESA)

E476240

Viladecans Business Park
Edificio Australia
C/ Antonio Machado, 78-80, 1ª planta
08840 Viladecans (Barcelona), SPAIN

Nonmetallic Cable Ties Investigated to ANSI/UL 62275

Cat. No.	Type Dsg	Bundle Diam, mm (in.)		Loop Tensile Strength, N (lbf)	Operating Temp, °C (°F)		Min Installation Temp, °C (°F)	Resistant to UV Light	Plenum Rating	ANSI/UL 94 Mtl Flame Rating
		Min	Max		Min	Max				
2,5x80 Incolora, 2,5x80 Negra	21	3.0 (0.118)	14.0 (0.551)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x100 Incolora, 2,5x100 Negra	21	3.0 (0.118)	20.5 (0.807)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x120 Incolora, 2,5x120 Negra	21	3.0 (0.118)	27.0 (1.062)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x130 Incolora, 2,5x130 Negra	21	3.0 (0.118)	30.0 (1.181)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x150 Incolora, 2,5x150 Negra	21	3.0 (0.118)	36.5 (1.437)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x160 Incolora, 2,5x160 Negra	21	3.0 (0.118)	39.8 (1.567)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x200 Incolora, 2,5x200 Negra	21	3.0 (0.118)	52.5 (2.067)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x260 Incolora, 2,5x260 Negra	21	3.0 (0.118)	73.0 (2.874)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
2,5x380 Incolora, 2,5x380 Negra	21	3.0 (0.118)	110.0 (4.331)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x140 Incolora, 3,6x140 Negra	21	3.0 (0.118)	33.0 (1.299)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x150 Incolora, 3,6x150 Negra	21	3.0 (0.118)	36.0 (1.417)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x180 Incolora, 3,6x180 Negra	21	3.0 (0.118)	46.0 (1.811)	80 (18)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x200 Incolora, 3,6x200 Negra	21	3.0 (0.118)	52.5 (2.067)	180 (40)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x250 Incolora, 3,6x250 Negra	21	3.0 (0.118)	68.0 (2.677)	180 (40)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x280 Incolora, 3,6x280 Negra	21	3.0 (0.118)	78.0 (3.071)	180 (40)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x300 Incolora, 3,6x300 Negra	21	3.0 (0.118)	106.0 (4.173)	180 (40)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
3,6x370 Incolora, 3,6x370 Negra	21	3.0 (0.118)	105.0 (4.134)	180 (40)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x120 Incolora,	21	3.0	23.8	220 (50)	-40	85	-10 (14)	No	AH-2	V-2

4,8x120 Negra		(0.118)	(0.937)		(-40)	(185)			##	
4,8x160 Incolora, 4,8x160 Negra	21	3.0 (0.118)	36.6 (1.441)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x180 Incolora, 4,8x180 Negra	21	3.0 (0.118)	43.0 (1.693)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x190 Incolora, 4,8x190 Negra	21	3.0 (0.118)	46.0 (1.811)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x200 Incolora, 4,8x200 Negra	21	3.0 (0.118)	49.5 (1.948)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x250 Incolora, 4,8x250 Negra	21	3.0 (0.118)	65.0 (2.559)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x280 Incolora, 4,8x280 Negra	21	3.0 (0.118)	74.8 (2.945)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x290 Incolora, 4,8x290 Negra	21	3.0 (0.118)	78.0 (3.071)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x300 Incolora, 4,8x300 Negra	21	3.0 (0.118)	81.0 (3.188)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x310 Incolora, 4,8x310 Negra	21	3.0 (0.118)	84.0 (3.307)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x350 Incolora, 4,8x350 Negra	21	3.0 (0.118)	97.0 (3.818)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x360 Incolora, 4,8x360 Negra	21	3.0 (0.118)	100.0 (3.937)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x370 Incolora, 4,8x370 Negra	21	3.0 (0.118)	103.5 (4.074)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x380 Incolora, 4,8x380 Negra5	21	3.0 (0.118)	106.7 (4.200)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x390 Incolora, 4,8x390 Negra	21	3.0 (0.118)	110.0 (4.330)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x400 Incolora, 4,8x400 Negra	21	3.0 (0.118)	113.0 (4.448)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x430 Incolora, 4,8x430 Negra	21	3.0 (0.118)	122.5 (4.822)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x450 Incolora, 4,8x450 Negra	21	3.0 (0.118)	129.0 (5.078)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x500 Incolora, 4,8x500 Negra	21	3.0 (0.118)	145.0 (5.708)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x550 Incolora, 4,8x550 Negra	21	3.0 (0.118)	160.0 (6.299)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
4,8x920 Incolora, 4,8x920 Negra	21	3.0 (0.118)	278.0 (10.944)	220 (50)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x150 Incolora, 7,6x150 Negra	21	6.0 (0.236)	23.8 (0.937)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x200 Incolora, 7,6x200 Negra	21	6.0 (0.236)	50.9 (2.003)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x220 Incolora, 7,6x220 Negra	21	6.0 (0.236)	56.0 (2.204)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x250 Incolora, 7,6x250 Negra	21	6.0 (0.236)	66.8 (2.629)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x280 Incolora, 7,6x280 Negra	21	6.0 (0.236)	76.4 (3.007)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x300 Incolora, 7,6x300 Negra	21	6.0 (0.236)	82.8 (3.259)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x350 Incolora, 7,6x350 Negra	21	6.0 (0.236)	98.5 (3.877)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x365 Incolora, 7,6x365 Negra	21	6.0 (0.236)	103.5 (4.074)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x380 Incolora, 7,6x380 Negra	21	6.0 (0.236)	108.0 (4.251)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x400 Incolora,	21	6.0	114.5	550 (120)	-40	85	-10 (14)	No	AH-2	V-2

7,6x400 Negra		(0.236)	(4.507)		(-40)	(185)			##	
7,6x450 Incolora, 7,6x450 Negra	21	6.0 (0.236)	130.5 (5.137)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x500 Incolora, 7,6x500 Negra	21	6.0 (0.236)	146.0 (5.748)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x540 Incolora, 7,6x540 Negra	21	6.0 (0.236)	159.0 (6.259)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x550 Incolora, 7,6x550 Negra	21	6.0 (0.236)	162.5 (6.397)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
7,6x750 Incolora, 7,6x750 Negra	21	6.0 (0.236)	226.0 (8.897)	550 (120)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x400 Incolora, 8,8x400 Negra	21	9.0 (0.354)	115.0 (4.527)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x450 Incolora, 8,8x450 Negra	21	9.0 (0.354)	130.5 (5.137)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x500 Incolora, 8,8x500 Negra	21	9.0 (0.354)	146.5 (5.767)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x550 Incolora, 8,8x550 Negra	21	9.0 (0.354)	163.5 (6.437)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x560 Incolora, 8,8x560 Negra	21	9.0 (0.354)	165.5 (6.515)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x610 Incolora, 8,8x610 Negra	21	9.0 (0.354)	181.5 (7.145)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x760 Incolora, 8,8x760 Negra	21	9.0 (0.354)	229.5 (9.035)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x780 Incolora, 8,8x780 Negra	21	9.0 (0.354)	235.5 (9.271)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x810 Incolora, 8,8x810 Negra	21	9.0 (0.354)	245.0 (9.645)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x920 Incolora, 8,8x920 Negra	21	9.0 (0.354)	280.0 (11.023)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
8,8x1220 Incolora, 8,8x1220 Negra	21	79.0 (3.110)	375.5 (14.783)	800 (175)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
12,5x530 Incolora, 12,5x530 Negra	21	9.0 (0.354)	156.0 (6.141)	1200 (250)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
12,5x650 Incolora, 12,5x650 Negra	21	9.0 (0.354)	195.0 (7.795)	1200 (250)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
12,5x1000 Incolora, 12,5x1000 Negra	21	9.0 (0.354)	315.0 (12.401)	1200 (250)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2
12,5x1030 Incolora, 12,5x1030 Negra	21	9.0 (0.354)	323.0 (12.716)	1200 (250)	-40 (-40)	85 (185)	-10 (14)	No	AH-2 ##	V-2

Last Updated on 2015-07-29

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".